

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION N	10.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/882,061	·	06/18/2001	Izumi Takemoto	P66783US0	1762
136	7590	03/29/2005		EXAM	INER
-		LMAN PLLC REET N.W.	BOYD, JENNIFER A		
SUITE 600				ART UNIT	PAPER NUMBER
WASHIN	IGTON,	DC 20004	1771		
				DATE MAILED: 03/29/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	ction Summary	Part of Paper No./Mail Date 031905
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)	ummary (PTO-413))/Mail Date formal Patent Application (PTO-152)
a) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the prio application from the International Bureau * See the attached detailed Office action for a list	s have been received. Is have been received in Aprity documents have been up (PCT Rule 17.2(a)).	oplication No received in this National Stage
Priority under 35 U.S.C. § 119		
10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	epted or b) objected to to drawing(s) be held in abeyand tion is required if the drawing(ce. See 37 CFR 1.85(a). s) is objected to. See 37 CFR 1.121(d).
Application Papers 9)☐ The specification is objected to by the Examine	Pr	
Disposition of Claims 4) □ Claim(s) 1,2 and 8-26 is/are pending in the ap 4a) Of the above claim(s) is/are withdray 5) □ Claim(s) is/are allowed. 6) □ Claim(s) 1,2 and 8-26 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or are subject.	wn from consideration.	
closed in accordance with the practice under E		
2a) ☐ This action is FINAL . 2b) ☑ This 3) ☐ Since this application is in condition for allowa	s action is non-final.	ers prosecution as to the merits is
1) Responsive to communication(s) filed on <u>21 D</u>		
earned patent term adjustment. See 37 CFR 1.704(b). Status		
Period for Reply A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a repl - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin	I36(a). In no event, however, may a re ly within the statutory minimum of thirty will apply and will expire SIX (6) MON' e, cause the application to become AB	eply be timely filed y (30) days will be considered timely. THS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).
The MAILING DATE of this communication app		
cincorionon cummary	Examiner Jennifer A Boyd	Art Unit
Office Action Summary	09/882,061	TAKEMOTO, IZUMI
	Application No.	Applicant(s)
	S	

Application/Control Number: 09/882,061 Page 2

Art Unit: 1771

DETAILED ACTION

Response to Amendment

1. The Applicant's Amendments and Accompanying Remarks, filed December 21, 2004,

have been entered and have been carefully considered. Claims 9 – 10 are amended, claims 19 –

26 are added and claims 1 – 2 and 8 – 26 are pending. In view of Applicant's Arguments that

Labarte does not disclose a woven fabric, the Examiner withdraws the previously set forth

rejection as detailed in paragraph 7 of the Office Action dated April 20, 2004. In view of

Applicant's amendments, the Examiner withdraws the previously set forth rejection as detailed

in paragraph 4 of the Office Action dated September 27, 2004. After an updated search, the

invention as currently claimed is found to be unpatentable for reasons herein below.

2. The text of those sections of Title 35, U.S. Code not included in this action can be found

in a prior Office action.

Claim Objections

3. Claim 26 is objected to under 37 CFR 1.75(c), as being of improper dependent form for

failing to further limit the subject matter of a previous claim. Applicant is required to cancel the

claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the

claim(s) in independent form.

Claim Rejections - 35 USC § 112

Application/Control Number: 09/882,061 Page 3

Art Unit: 1771

4. Claims 1, 8 – 11, 13, 15, 17, 20, 23 and 25 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claims 2, 12, 14, 16, 18 – 19, 21 – 22, 24 and 26 are rejected as being dependent on rejected claims.

5. The claims recite the limitation "at least one of warp and weft". It is unclear whether Applicant is using the term "warp" and "weft" to refer to a single warp or weft or is describing all the yarns of the warp or weft as collectively warp and weft respectively. For the purposes of examination at this time, the Examiner is assuming that use of the limitation "warp" or "weft" is referring to only one or more monofilaments, yarns, etc in the warp or weft and not necessarily all the monofilaments or yarns that make up the warp or weft. It is highly suggested that the Applicant amend the claim language to recite "in which all the filaments of the warp or the weft" if the Applicant intends a collective meaning of "warp" and "weft".

Claim Rejections - 35 USC § 103

6. Claims 11, 13, 15 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ellis (GB 2,203,342).

Ellis is directed to a radio-opaque tracer for surgical implants (Title).

Ellis teaches a woven fabric comprising high purity metals such as gold and its alloys. The woven fabric comprises gold wire of a diameter 0.1 to 0.5 mm (page 3).

As to claims 11 and 13, it should be noted that the Examiner has given no patentable weight to "an article of apparel". Furthermore, it has been held that a recitation with respect to the manner in which a claimed article is intended to be employed does not differentiate the

Art Unit: 1771

claimed article from a prior art article satisfying the claimed structural limitations. Ex parte Masham, 2 USPQ2d 1647 (1987).

As to claims 15 and 17, it should be noted that the Examiner has given no patentable weight to "an article of garniture". Furthermore, it has been held that a recitation with respect to the manner in which a claimed article is intended to be employed does not differentiate the claimed article from a prior art article satisfying the claimed structural limitations. Ex parte Masham, 2 USPQ2d 1647 (1987).

As to claims 11, 13, 15 and 17, Ellis discloses the claimed invention except for that the gold alloy monofilament has a diameter of 70 micrometers or less as required by claims 11 and 15 or a diameter between 30 and 70 micrometers as required by claims 13 and 17. It should be noted that the diameter is a result effective variable. For example, as the diameter increases, the wire increases in strength and can be easily identified by x-ray but if the diameter is too large, the wire becomes difficult to weave due to stiffness. It would have been obvious to one having ordinary skill in the art at the time the invention was made to create the monofilament with a diameter of 70 micrometers or less as required by claims 11 and 15 or a diameter between 30 and 70 micrometers as required by claims 13 and 17, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980). In the present invention, one would have been motivated to optimize the diameter of the wire to create a woven fabric suitable for implanting in the body which is easy to manufacture and of sufficient strength.

As to claims 11 and 15, although Ellis does not explicitly teach that the claimed monofilament tensile strength is 0.12 to 6.5 N as required by claims 11 and 15, it is reasonable to presume that monofilament tensile strength is 0.12 to 6.5N as required by claims 11 and 15 is inherent to Ellis. Support for said presumption is found in the use of like materials (i.e. a gold alloy wire woven fabric with a diameter of 70 micrometers or less), which would result in the claimed property. The burden is upon the Applicant to prove otherwise.

7. Claims 1-2, 8 and 11-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ellis (GB 2,203,342) in view of Ogasa (US 6,077,366).

Ellis is directed to a radio-opaque tracer for surgical implants (Title).

Ellis teaches a woven fabric comprising high purity metals such as gold and its alloys. The woven fabric comprises gold wire of a diameter 0.1 to 0.5 mm (page 3). It should be noted that the Examiner has given no patentable weight to "an article of apparel" and "an article of garniture". See explanation in rejection above.

As to claims 1, 8, 12, 14, 16 and 18, Ellis fails to teach the composition of the gold alloy as containing at least 99.7% gold and a trace of an element chosen from the group consisting of gadolinium and calcium.

Ogasa is directed to a process for producing high-purity hard gold alloys (Title). Ogasa notes that the high-purity hardened alloy may be used in products such as medical parts (column 4, lines 45 – 47). Ogasa teaches a high-purity gold comprising a gold content of at least 99.7% or

Art Unit: 1771

more by weight and containing 50 ppm or more of Gd (gadolinium) (column 2, lines 30 – 60). The Examiner equates containing 50 ppm or more of Gd to having a "trace of an element". Ogasa notes that the high-purity gold that has improved hardness, tensile strength and heat resistance (column 2, lines 55 - 60).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the woven metal mesh of Ellis comprising the gold alloy of Ogasa motivated by the desire to create a material that has improved hardness, tensile strength and heat resistance which is highly suitable for medical products.

As to claims 1, 8, 11, 13, 15 and 17, Ellis in view of Ogasa discloses the claimed invention except for that the gold alloy monofilament has a diameter of 70 micrometers or less as required by claims 1, 11 and 15 or a diameter between 30 and 70 micrometers as required by claims 8, 13 and 17. It should be noted that the diameter is a result effective variable. For example, as the diameter increases, the wire increases in strength and can be easily identified by x-ray but if the diameter is too large, the wire becomes difficult to weave due to stiffness. It would have been obvious to one having ordinary skill in the art at the time the invention was made to create the monofilament with a diameter of 70 micrometers or less as required by claims 1, 11 and 15 or a diameter between 30 and 70 micrometers as required by claims 8, 13 and 17, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980). In the present invention, one would have been motivated to optimize the diameter of the wire to create

Application/Control Number: 09/882,061

Art Unit: 1771

a woven fabric suitable for implanting in the body which is easy to manufacture and of sufficient strength.

Page 7

As to claims 1, 2, 11 and 15, although Ellis in view of Ogasa does not explicitly teach that the claimed monofilament tensile strength is 0.12 to 6.5 N as required by claims 1, 11 and 15 and the monofilament elongation is 1.5% or more as required by claim 2, it is reasonable to presume that monofilament tensile strength is 0.12 to 6.5N as required by claims 1, 11 and 15 and the monofilament elongation is 1.5% or more as required by claim 2 is inherent to Ellis in view of Ogasa. Support for said presumption is found in the use of like materials (i.e. a gold alloy wire woven fabric with a diameter of 70 micrometers or less), which would result in the claimed properties. The burden is upon the Applicant to prove otherwise.

8. Claims 9 – 10 and 19 – 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over the article entitled "Ancient Russian Ecclesiastical Embroideries" by Eugenia Tolmachoff in view of JP 62078228A.

As to claims 9 - 10, 19, 21, 23 and 25, the article is directed to a historical study of ancient Russian Embroideries. The article teaches that as an embroidery material gold first appeared in the form of a wire (page 18). Russian embroidery in general is made up of colored silks and metal threads laid flat on the ground and caught down by short traversal stitches in silk (page 20). The article discusses a material called *altabas* which is a silk fabric in a twill weave with one and two wefts, on which was a gold wire (page 21). It is known in the art to alloy gold to increase its strength; it should be noted that the gold discussed in the article must be alloyed

Art Unit: 1771

because pure gold would be too soft to be effectively used. The Examiner equates the gold wire to Applicant's "gold alloy metal monofilament" and the silk to Applicant's "ordinary yarn".

The article fails to teach the that the gold monofilament has a diameter of 70 micrometers or less as required by claims 9 and 24 or a diameter between 30 – 70 micrometers as required by claims 10 and 25 - 26.

JP 62078228A teaches the use of gold threads for decorative knitted or woven fabrics. The gold wires of high purity are twisted into gold thread. The diameter of the wires is 0.05 to 0.2 millimeters (50 – 200 micrometers) (Abstract).

It would have been obvious to one of ordinary skill in the art to use wires having a diameter between 0.05 to 0.2 millimeters (50 – 200 micrometers) as suggested by JP 62078228A in the tapestry material of "Ancient Russian Ecclesiastical Embroideries" motivated by the desire to use a sufficiently small diameter gold wire to create an ornate decorative woven fabric.

As to claims 9 and 24, although the article entitled "Ancient Russian Ecclesiastical Embroideries" by Eugenia Tolmachoff in view of JP 62078228A does not explicitly teach that the claimed monofilament tensile strength is 0.12 to 6.5 N as required by claims 9 and 24, it is reasonable to presume that monofilament tensile strength is 0.12 to 6.5N as required by claims 9 and 24 is inherent to "Ancient Russian Ecclesiastical Embroideries" by Eugenia Tolmachoff in view of JP 62078228A. Support for said presumption is found in the use of like materials (i.e. a gold alloy wire woven fabric with a diameter of 70 micrometers or less), which would result in the claimed properties. The burden is upon the Applicant to prove otherwise.

Application/Control Number: 09/882,061 Page 9

Art Unit: 1771

"Ancient Russian Ecclesiastical Embroideries" by Eugenia Tolmachoff in view of JP 62078228A discloses the claimed invention except for that the warp and west monofilaments are different from each other in diameter as required by claims 20, 22 - 23 and 25. It would have been obvious to one having ordinary skill in the art at the time the invention was made to create a fabric where the warp and west monofilaments are different from each other in diameter since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of design choice. In re Leshin, 125 USPQ 416. In the present invention, one would have been motivated to create a fabric where the warp and west monofilaments are different from each other in diameter in order to create a fabric with a desired texture, hand and appearance. Furthermore, it is known that silk monofilaments and gold monofilaments can be made in a variety of diameter ranges only limited by the processing limitations.

Conclusion

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

According to Encyclopedia Britannica, the term "kimkhwab" is defined as an Indian brocade woven of silk and gold or silver thread. Kimkhwabs are classified according to the amount of gold and silver used: some are woven entirely from the two precious metals; in some, colored silk thread is used sparingly to accent the design; and in others most of the work is done in silk thread, the gold and silver being sparingly used. The article notes that kimkhwab was extremely popular during the Mughal period (1556 – 1707). This article demonstrates that it has

been well known in the art since the 1500s to use silk and gold threads to create decorative woven fabrics.

According to Encyclopedia.com, the term "cloth of gold" is defined as a fabric woven wholly or partly of gold threads. Further information from the article: From remote times gold has been used as material for weaving alone or with other fibers. In India, tapestries were made from gold threads as fine as silk. Cloth of gold was woven on Byzantine looms from the 7th to the 9th century and on those of Sicily, Cyprus, Lucca and Venice since the 10th century. One particular fabric called "baldachin" which is a fine cloth with gold warp and silk weft was used in ceremonially in England. The gold thread used either comprised flattened or rounded gold wire or a core yarn wound with a thin metal thread. This article demonstrates that that it has been well known in the art since the 7th century to create woven fabric of wholly or partly of gold threads.

The article "Metallic Threads – A Background to Their Use in Textile Work" by Gina Barrett discusses the use of gold as embellishment in textiles. The article teaches that drawn wire was one form of metal used in textile work. The publication date of the article is unknown.

The article "A Practical Examination of Wests used in Medieval Brocaded Tabletweaving" explores the use of a variety of brocade wefts similar or like those which were used in medieval tabletweaving. The article discusses the use of drawn gold solid metal wefts which have been found in a number of Anglo-Saxon as well as Viking burials. The width and thickness of the metal wefts range in width from about .25 mm to 2.0mm with a thickness of sometimes less than 0.1mm. The article notes that most documented brocaded bands have a silk thread base. The publication date of the article is April 2004.

Application/Control Number: 09/882,061 Page 11

Art Unit: 1771

JP 11189949 A is directed to a woven lace textile comprising gold or silver threads and silk threads. A complete translation of the reference has been ordered and should be available

upon mailing of the next Office Action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennifer A Boyd whose telephone number is 571-272-1473. The examiner can normally be reached on Monday thru Friday (8:30am - 6:00pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Terrel Morris can be reached on 571-272-1478. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jennifer Boyd March 19, 2005

Wa Kuddick

Ula C. Ruddock

Primary Examiner

Tech Center 1700